

DESCRIPTION

The [Tea Picking Machine](#) is mainly used for tea picking in mountain, hilly, plain and other terrain. It is produced with international advanced technology. It has the advantages of low noise, large air volume, stable quality and high production efficiency. It is an ideal machine for tea picking.

4C-Z [Mini Tea Leaf Picking Machine](#) using our own engine KOMATSU G26 2 stroke, 25.4 CC, 0.81KW gasoline engine, output power is larger than 4 stroke, please note that the ratio of engine oil to gasoline is 25:1. The performance is more stable, and the high temperature does not extinguish. Tea picking is more efficient and efficiency is 40 times that of manual labor.

ADVANTAGE

The structure of the blowpipe is optimized. The air volume of each duct is uniform and the wind is more stronger, tea leaf into tea bags faster.

Each set of tea picking machine is free of charge with a 6-meter long nylon cloth bag, which is wear-resistant and durable. The bag has a tie rope, and the working length can be adjusted arbitrarily.


[Tea Leaf Picking Machine](#) after 20 years of continuous optimization and improvement, now all parts are produced by ourselves, we ensure that every part is of the best quality, and the service life is increased by 100% compared with peers!

Custom widened and thickened shoulder strap. The width of the strap is widened by 30% and the thickness is increased by 20%. The back board is natural against the waist and conforms to ergonomics, the shoulder and waist will not ache during use.

DETAILS



Since eight years ago, we were not satisfied with using gearbox accessories of the same poor quality as other peers. We spent hundreds of thousands of dollars to build our own gearbox components, which increased the life of the machine by 100%



SK5 carbon tool steel has been quenched with high hardness and strong wear resistance. It can cut 1 cm thick branch directly.



For the tea producing areas with large leaves and the special needs of picking lavender and other flower, we have developed a new type of increased turret, which is 10 cm higher than the conventional one, which greatly improves the picking efficiency.



Each set of tea picking machine is free of charge with a 6-meter long nylon cloth bag, which is wear-resistant and durable. The bag has a tie rope, and the working length can be adjusted arbitrarily.

SPECIFICATION

[Mini Tea Leaf Picking Machine](#) specification list:

| | |
|---------------|-------------|
| Model | DL-4C-Z |
| Cutting Width | 40/50/60 cm |
| Engine Model | G26LS |
| Stroke | 2 Stroke |
| Displacement | 25.4 CC |
| HP | 1.1HP |
| Power | 0.81 KW |
| Total weight | 9.2kg |

Specification of all of Gasoline [Tea Picking Machine](#).

| Model | Engine | Stroke | Power |
|-------|--------|--------|-------|
|-------|--------|--------|-------|

| | | | |
|-----------|-----------------|----------|---------|
| DL-4C-H3 | HONDA GX35 | 4 Stroke | 1.35 KW |
| DL-4C-H2 | HONDA GX25 | 4 Stroke | 0.81 KW |
| DL-4C-Z | KOMATSU G26LS | 2 Stroke | 0.81 KW |
| DL-4C-T | mitsubishi TU26 | 2 Stroke | 0.7 KW |
| DL-4C-S | HUASHENG 1E34F | 2 Stroke | 0.7 KW |
| DL-4C-A | NATIKA 1E34F | 2 Stroke | 0.7 KW |
| DL-4C-S39 | HUASHENG 139FA | 4 Stroke | 0.7 KW |

If you have special need, it can be customized according to the needs of customers.

PHOTOS



背背机. 1.1HP 25.4CC

Backpack Tea Harvester DL-4C-Z

0.81 kw, 1.1 HP
KOMATSU G26LS Engine
25.4 CC Displacement
Kawasaki / Ochiai Rack



600 kg / h
6 Meters Length Bag
Cutting Width 45/50/60 cm

2 Stroke

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767

 **Assistant**
—Deli Tea Machine



DELIJX.COM









CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact information at the bottom.
We usually contact you in about 10 minutes ↓ ↓